

Series 248 EverThane

PRODUCT INFO

Conforms with:

- LEED v4.1 ID+C, BD+C: Low-Emitting Materials - Paints & Coatings*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

*Note: Sections shown are based on LEED v4.1

VOC Content

Air District Regulation	South Coast Air Quality Management District (SCAQMD) Rule 1113
Intended Use Category	Industrial Maintenance
VOC (g/L, Unthinned)	82
Manufacturing Location	North Kansas City, 64116
Shop or Exterior Applications	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.

Materials and Resources (MR) Credits

MR Credit 2: BPD - Environmental Product Declarations (EPDs)
Product Specific - Type III

Series 248 EverThane - [Download EPD](#)

MR Credit 3: BPD - Sourcing Raw Materials

Tnemec coatings do not fully meet credit requirements.

MR Credit 4: BPD - Material Ingredients/Health Product Declarations (HPDs)

At this time, Tnemec does not carry a publicly available Health Product Declaration (HPD) for this product.

CDPH Emissions Testing

Test Date	April 2, 2025 (Valid Jan. 2025 - Apr. 2026)
MAS Certificate No.	MAS2500154
CDPH Scenario (Use)	Classroom / Private Office
CDPH Emissions Test Report	Available upon request or download the MAS Certified Green Certificate
Total VOC (TVOC) - 14 Days	0.5 mg/m3 to 5.0 mg/m3
Reference Standard	California Dept. of Public Health Standard Method v1.2-2017

For questions concerning this information, please contact:

Jennifer Gleisberg

Director of Performance Coatings | Tnemec Company, Inc.

+1 816-326-4264 gleisberg@tnemec.com

