

Series 971 Aerolon Acrylic

PRODUCT INFO

Conforms with:

- LEED v4.1 ID+C, BD+C: Low-Emitting Materials - Paints & Coatings*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

*Note: Sections shown are based on LEED v4.1

VOC Content

Air District Regulation	South Coast Air Quality Management District (SCAQMD) Rule 1113
Intended Use Category	Industrial Maintenance
VOC (g/L, Unthinned)	1.9
Manufacturing Location	North Kansas City, 64116
Shop or Exterior Applications	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.

Materials and Resources (MR) Credits

MR Credit 2: BPD - Environmental Product Declarations (EPDs)	Tnemec coatings do not meet credit requirements.
MR Credit 3: BPD - Sourcing Raw Materials	Tnemec coatings do not fully meet credit requirements.
MR Credit 4: BPD - Material Ingredients/Health Product Declarations (HPDs)	At this time, Tnemec does not carry publicly available Health Product Declarations (HPDs).

CDPH Emissions Testing

Test Date	January 29, 2025 (Valid Jan. 2025 to Jan. 2026)
MAS Certificate No.	MAS2400774R1-02
CDPH Scenario (Use)	Classroom / Private Office
CDPH Emissions Test Report	Available upon request or download the MAS Certified Green Certificate
Total VOC (TVOC) - 14 Days	0.5 mg/m3 to 5.0 mg/m3
Reference Standard	California Dept. of Public Health Standard Method v1.2-2017

For questions concerning this information, please contact:

Jennifer Gleisberg
 Director of Performance Coatings | Tnemec Company, Inc.
 +1 816-326-4264 gleisberg@tnemec.com

